



PTO/SB92 (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U. S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Certificate of Mailing under 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

Mail Stop: Office of Initial Patent Examination
Commissioner For Patents
P.O. Box 1450
Alexandria, VA 22313-1450

on November 22, 2004
Date


Geraldine Gress

Reed Smith LLP
599 Lexington Avenue
29th Floor
New York, New York 10022-7650
Tel: 212-521-5400; Fax: 212-521-5450

Note: Each paper must have its own certificate of mailing, or this certificate must identify each submitted paper.

Applicant: Tami Harel et al.

Serial No: 10/804,560

Filing Date: March 18, 2004

For: Blood Glucose Level Control

Enclosures: (1) Transmittal Letter (2 pages); (2) Letter Accompanying Revised Power of Attorney (1 page);
(3) Executed Declaration/POA (5 pages); (4) Supplemental ADS (6 pages);
(5) Acknowledgement Postcard.

Burden Hour Statement: This form is estimated to take 0.03 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U. S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.